

TEST REPORT No.: Ł/0/01/2023/4162/F/1/P/1/EN

Customer:

Order No.: Ł/0/01/2023/4162

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested:		Dietary supplements							
Sample collection address:									
Product name:		Primabiotic shot collagen classic						Date*: 30.01.2023	
Producer:		no data							
Date of production:		no data							
Lot number:		July 19, 2024							
Samples collected according to:								Sample receiver: GBA POLSKA employee no.: 2386	
Samples transported by: Shipping									
Sample no.: 27496/01/23		Sample evaluation: unreservedly		Analysis start date: 30-01-2023		Analysis end date: 03-02-2023			
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N	
Ł	Arsenic	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,010			
Ł	Cadmium	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,002			
Ł	Lead	mg/kg	AE	PN-EN 15763:2010	no requirements	< 0,010			
Ł	Mercury	mg/kg	AE	PN-EN 15763:2010	no requirements	0,001			

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complaints within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:


NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the

original PDF file.

Report prepared in a single copy

The end of the Report

Original of PDF: Customer, copy of PDF to: Laboratory archive

Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2486	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature 
----------------------------------	--	--	--

TEST REPORT No.: Ł/0/01/2023/4162/F/2/P/1/EN

Customer:

Order No.: Ł/0/01/2023/4162

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor


Material/product tested:		Dietary supplements						
Sample collection address:								
Product name:		Primabiotic shot collagen sport						
		Date*: 30.01.2023						
Producer:	no data							
Date of production:	no data							
Lot number:	July 23, 2024							
Samples collected according to:		Sample receiver:	GBA POLSKA employee no.: 2386					
Samples transported by: Shipping								
Sample no.:	27497/01/23	Sample evaluation:	unreservedly					
		Analysis start date:	30-01-2023					
		Analysis end date:	31-01-2023					
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Protein (from calculations) (converter Nx6.25)	%	AE	PB-14 / LF ed. 7 of 03.01.2022	no requirements	29,57	+/-1,48	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests. The results relate to the tested samples (sampled or received - as reported in the test report). In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing. The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full. Customer may file complains within 14 days from receiving the report. The Laboratory does not store the samples after testing, unless otherwise agreed with the customer. Place of performance of the tests (location codes): Ł - Łąjski, L - Lublin, M - Mysłowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2677	Approved by: Food specialist GBA POLSKA employee no.: 2524		Signed with a qualified electronic signature 	

TEST REPORT No.: L/0/01/2023/4162/F/8/P/2/EN

Customer:

Order No.: L/0/01/2023/4162

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested:		Dietary supplements						
Sample collection address:								
Product name:		Primabiotic shot collagen classic						
		Date*: 30.01.2023						
Producer:	no data							
Date of production:	no data							
Lot number:	July 23, 2024							
Samples collected according to:		Sample receiver:	GBA POLSKA employee no.: 2386					
Samples transported by: Shipping								
Sample no.:	27498/01/23	Sample evaluation:	unreservedly					
		Analysis start date:	01-02-2023					
		Analysis end date:	27-02-2023					
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
	Collagen (from Hydroxyproline)	%	A/P	AOAC (Nr Ak. AB- L-105)	no requirements	35,2		

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks.

Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires.

The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Mysłowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on:	Authorized by:	Approved by:			
03-04-2023	GBA POLSKA employee no.: 2566	Food specialist		Signed with a qualified electronic signature	
		GBA POLSKA employee no.: 2524			

TEST REPORT No.: Ł/0/01/2023/4162/M/11/P/1/EN
Customer:
Order No.: Ł/0/01/2023/4162

A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).

AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).

AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).

MON - methodology accredited in terms of "OiB"

GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)

A/P - accredited methodology of the subcontractor

P - non-accredited methodology of the subcontractor

Material/product tested:		Dietary supplements						
Sample collection address:								
Product name:		Primabiotic shot collagen classic					Date*: 30.01.2023	
Producer:		no data						
Date of production:		no data						
Lot number:		July 24, 2024						
Samples collected according to:							Sample receiver: GBA POLSKA employee no.: 2386	
Samples transported by: Shipping								
Sample no.: 27501/01/23		Sample evaluation: unreservedly		Analysis start date: 31-01-2023		Analysis end date: 05-02-2023		
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Total microbial count	cfu/ml	AE	PN-EN ISO 4833-1:2013-12, PN-EN ISO 4833-1:2013-12/Ap1:2016-11	no requirements	<1,0 x 10 ⁶		
Ł	Coliforms count	cfu/ml	AE	PN-ISO 4832:2007	no requirements	<1,0 x 10 ⁶		
Ł	Count of coagulase-positive staphylococci (Staphylococcus aureus and other species)	cfu/ml	AE	PN-EN ISO 6888-2:2022-03	no requirements	<1,0 x 10 ⁶		
Ł	Count of yeasts and moulds	cfu/ml	AE	PN-ISO 21527-1:2009	no requirements	<1,0 x 10 ⁶		
Ł	Presence of Salmonella spp.	25ml	AE	PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09	no requirements	not detected in 25ml		

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range " or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.


Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

The second selective medium for detecting the presence of Salmonella spp. in accordance with PN-EN ISO 6579-1:2017-04, PN-EN ISO 6579-1:2017-04/A1:2020-09 is RVS broth and RAPID Salmonella/Agar. Temperature used for incubation of coliforms and coagulase-positive staphylococci: 37°C ± 1°C

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy The end of the Report Original of PDF: Customer, copy of PDF to: Laboratory archive

Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2207	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature 
----------------------------------	--	---	--

TEST REPORT No.: Ł/0/02/2023/1552/F/1/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15683/02/23	Sample evaluation: unreservedly							
Analysis start date:	14-02-2023							
Analysis end date:	16-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin A (Retinol)	µg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	450	+/-54	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/F/2/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15684/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin C	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	321	+/-35	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/F/3/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15686/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin B1 (Thiamine)	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	1,1	+/-0,1	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/F/4/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15687/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin B2 (Riboflavin)	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	1,5	+/-0,2	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.


Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy

The end of the Report

Original of PDF: Customer, copy of PDF to: Laboratory archive

Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature 
----------------------------------	--	---	--

TEST REPORT No.: Ł/0/02/2023/1552/F/5/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15688/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin B3 (Niacin)	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	15	+/-2	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/F/6/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15689/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin B5 (Pantothenic acid)	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	5,7	+/-0,9	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/F/7/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15690/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin B6 (Pyridoxine)	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	1,5	+/-0,2	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.


Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy

The end of the Report

Original of PDF: Customer, copy of PDF to: Laboratory archive

Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature 
----------------------------------	--	---	--

TEST REPORT No.: Ł/0/02/2023/1552/F/8/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15692/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 15-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin B9 (Folic acid)	µg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	234	+/-30	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2337	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/F/9/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OiB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15694/02/23	Sample evaluation: unreservedly							
	Analysis start date: 14-02-2023							
	Analysis end date: 16-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Content of vitamin E (DL-alpha-tocopherol)	mg/100ml	AE	PB-257/LF ed. 5 dated 02.01.2022	no requirements	12	+/-2	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.


Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2522	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/1552/M/11/EN

Customer:

Order No.: Ł/0/02/2023/1552

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 14.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 15693/02/23	Sample evaluation: unreservedly							
	Analysis start date: 16-02-2023							
	Analysis end date: 18-02-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Vitamin B12 content (Cyanocobalamin) (from 0,035µg/100g)	µg/100g	A	VitaFast Vitamin B12 (Cyanocobalamin) test instructions from R-Biopharm AG from 06.02.2017	no requirements	3,483		

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complains within 14 days from receiving the report.


The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

B12 15693/02/23 - Limit of detection for vitamin B12 - 0.035 µg/100g.

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy		The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive	
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2244	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature		
					

TEST REPORT No.: Ł/0/02/2023/2309/M/1/EN

Customer:

Order No.: Ł/0/02/2023/2309

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 17.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 20893/02/23	Sample evaluation: unreservedly							
	Analysis start date: 09-03-2023							
	Analysis end date: 11-03-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
Ł	Vitamin B7 content (Biotin) (from 0,11µg/100g)	µg/100ml	A	VitaFast Biotin test instructions from R-Biopharm AG from 14.10.2016	no requirements	53,87	+/- 16,16	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:


2, which gives a confidence level of approximately 95%. The composite standard uncertainty was taken to be equal to the within-laboratory standard deviation of reproducibility. The measurement uncertainty associated with sampling is not included in the expanded measurement uncertainty.

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

Report prepared in a single copy

The end of the Report

Original of PDF: Customer, copy of PDF to: Laboratory archive

Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2244	Approved by: Food specialist GBA POLSKA employee no.: 2524	Signed with a qualified electronic signature 
----------------------------------	--	---	--

TEST REPORT No.: Ł/0/02/2023/2679/F/1/EN

Customer:

Order No.: Ł/0/02/2023/2679

- A - accredited methodology (AB 1095); reference – if the law so provides (the result can be used to assess compliance in the legally regulated area).
- AE - accredited methodology (AB 1095) of flexible scope – reference if the law so provides / equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- AR - accredited methodology (AB 1095) equivalent to reference (the result can be used to assess compliance in the legally regulated area).
- MON - methodology accredited in terms of "OIB"
- GMP+ - methodology registered in the scope of GMP+ B11 protocol (feed testing)
- A/P - accredited methodology of the subcontractor
- P - non-accredited methodology of the subcontractor

Material/product tested: Dietary supplements								
Sample collection address:								
Product name: Primabiotic shot collagen classic	Date*: 22.02.2023							
Producer:	no data							
Date of production:	no data							
Lot number:	July 18, 2024							
Samples collected according to:	Sample receiver: GBA POLSKA employee no.: 2386							
Samples transported by: Shipping								
Sample no.: 25334/02/23	Sample evaluation: unreservedly							
	Analysis start date: 27-02-2023							
	Analysis end date: 06-03-2023							
Lab.	Analyzed parameter	Unit	Accred.	Test method	Requirement	Result	MU**	N
	Vitamin D3	µg/100g	A/P	§ 64 LFGB L 00.00-61: 2010-01 (Nr Akc. D-PL-14170-01-00)	no requirements	4,1	+/-±1,2	

Date* - depending on the method of obtaining the sample by GBA Polska, it is the date of: collection (when the sample is collected only by a GBA Polska employee) or collection (when the sample is collected from customer by a GBA Polska employee, is delivered by a courier company or delivered personally by the customer).

** - expanded measurement uncertainty at the level of confidence app. 95% and the coverage factor k=2, does not take into account the sampling uncertainty, except when indicated in the remarks. Measurement uncertainty is presented when: it is relevant to the validity or application of the test results, it affects conformity to a specification limit, or a customer's instruction so requires. The test results lower or higher than the measuring ranges of the methods are presented as "<value of the lower limit of the measuring range" or "> value of the upper limit of the measuring range", respectively. If expanded uncertainties are given with these test results, they apply to the lower or upper limit of the measuring range of the method. Moreover, in the case of these results, the conformity statement should be treated as an opinion and interpretation. The above-described procedure does not apply to biological tests.

The results relate to the tested samples (sampled or received - as reported in the test report).

In the case of samples provided by the customer, the information presented in the report regarding these samples is the information provided by the customer. The Laboratory is not responsible for this information or for the method of sampling and the representativeness of the samples provided by the customer for testing.

The test report includes test results of the following number of samples: 1 pc(s) and without the written approval of the Laboratory shall not be reproduced except in full.

Customer may file complains within 14 days from receiving the report.

The Laboratory does not store the samples after testing, unless otherwise agreed with the customer.

Place of performance of the tests (location codes): Ł - Łajski, L - Lublin, M - Myslowice, PS - in situ measurement.

Remarks:

B12 15693/02/23 - Limit of detection for vitamin B12 - 0.035 µg/100g.

NOTE: The original test reports are issued as PDF file, signed with a qualified electronic signature. Therefore, all prints are copies, unless certified to be true to the original PDF file.

The end of the Report		Original of PDF: Customer, copy of PDF to: Laboratory archive
Created on: 03-04-2023	Authorized by: GBA POLSKA employee no.: 2566	Approved by: Food specialist GBA POLSKA employee no.: 2524
		Signed with a qualified electronic signature 